AC SCHNITZER

-Montage Distanzscheibe-



3613 98 xxx
3613 97 xxx

(english version see page 3)

AC Schnitzer – Distanzscheiben / Lochkreis Adapter –



Abb. 1
Lieferumfang

Abb. 2
Kegelbundschraube **M14x1,25 x 26mm** zur Montage der ***Distanzscheibe an Fahrzeug*** verwenden.

Abb. 3
Kegelbundschraube **M14x1,25 x 21mm** zur Montage der ***AC Schnitzer Felge an Distanzscheibe*** verwenden.





Abb. 4
Zuordnung der Befestigungsschrauben.
Flacher Schraubenkopf immer zur Befestigung der Distanzscheibe.

Anzugsdrehmoment für Distanzscheibe: **140NM**
Anzugsdrehmoment für AC Schnitzer Felge: **140NM**





AC SCHNITZER

-Fitting wheel spacer-



3613 98 xxx
3613 97 xxx

AC Schnitzer – wheel spacer / bolt circle adapter –

Fig. 1
Supplied



Fig. 2
Use fixing screw **M14x1,25 x 26mm** for fitting
wheel spacer at vehicle.

Fig. 3
Use fixing screw **M14x1,25 x 21mm** for fitting
AC Schnitzer wheel at wheel spacer.




Fig. 4
Assignment the fixing screws.
Flat head screws always fixing the spacer.

Tightening torque for wheel spacer: **140NM**
Tightening torque for AC Schnitzer wheel: **140NM**



